

## Global Wild Poliovirus 2016 - 2022

Country or territory <sup>3</sup>	Wild virus type 1 confirmed cases										Wild virus type 1 reported from other sources <sup>2</sup>						
	Full year total						01 Jan-31 May <sup>1</sup>		Date of most	Full year total						1 Jan-31 May <sup>1</sup>	Date of most
	2016	2017	2018	2019	2020	2021	2021	2022	recent case	2016	2017	2018	2019	2020	2021	2022	recent virus
Afghanistan	13	14	21	29	56	4	1	1	14-Jan-22	2	42	83	60	49	1	1	04-May-22
Pakistan	20	8	12	147	84	1	1	6	11-May-22	62	110	141	405	455	65	4	15-May-22
Mozambique	0	0	0	0	0	0	0	1	25-Mar-22								
Malawi	0	0	0	0	0	1	0	0	19-Nov-21								
Iran	0	0	0	0	0	0	0	0	NA				3				20-May-19
Nigeria <sup>3</sup>	4	0	0	0	0	0	0	0	21-Aug-16	14							27-Sep-16
Total (Type1)	37	22	33	176	140	6	2	8		65	152	224	468	504	66	5	
Tot. in endemic countries	37	22	33	176	140	5	2	7									
Tot. in non-end countries	0	0	0	0	0	1	0	1									
No. of countries (infected)	3	2	2	2	2	3	2	3									
No. of countries (endemic)	2 <sup>3</sup>	2 <sup>3</sup>	3	3	3	2	2	2									
Total Female	13	7	18	72	59	2	0	4									
Total Male	24	15	15	104	81	4	2	4									

Countries in yellow are endemic. <sup>1</sup>Data reported to WHO HQ on 01 Jun. 2021 for 2021 data and 31 May for 2022 data.

<sup>2</sup>Wild viruses from environmental samples, selected contacts, healthy children and other sources. Last WPV type 3 had its onset on 10 November 2012. <sup>3</sup>Between 27 Sep 2015 and 27 Sep 2016, Nigeria was not classified as endemic, and declared Wild polio-free as of June 2020. <sup>4</sup>Exceptionally reporting case-contact of a positive index case given the date of collection is later than the onset date of the most recent WPV.